



Master sheet

Homologation: Normal

1

De Leijer Jasmijn

NED

-19 F

S	40	TB	200
RS	40	TF	200
B	60	TS	1x not credit 100
F	60	RTS	2x not credit
RB	60	WLB	
RF	60	WLF	180
O	90	5B	110
RO	90	F	
B		WLO	Fall
5F	110		
LB	110		
LF	110		
WLB	180		
WLF	out of time		

First pass : 1010

Second pass : 790

Total :

1800



2

Wenger Vanessa

AUT

-19 F

S	40	TB	200
RS	40	TF	200
B	60	LB	110
F	60	LF	110
RB	60	5B	
RF	60	5F	110
B		B	
BB	90	WBB	Fall
RBB	90		
F			
O	90		
RO	90		
5B	110		
5F	Fall		

First pass : 790

Second pass : 730

Total : 1520



3

Bodingbauer Maria

AUT

-19 F

S	40	TB	200
RS	40	TF	200
B	60	5B	110
F	60	5F	1x not credit 110
RB	60	B	
RF	60	WBB	200
B		F	
BB	90	5B	
RBB	90	5F	Fall
F			
O	90		
RO	90		
LB	110		
LF	110		
B	out of time		

First pass : 900

Second pass : 820

Total : **1720**



4

Borikova Karin

SVK -19 F

WO	200	TO	250
B	60	TB	200
BB	90	TF	200
RBB	90	RTB	250
WBB	200	RTF	250
RWBB	250	TB	
F	60	TBB	250
O	90	TF	
RO	90	B	
W5B	400	W5F	Fall
F			
LB	110		
LF	110		
WLB	180		
WLF	180		
BFL	Fall		

First pass : 2110

Second pass : 1400

Total : 3510